Koriyama City Safe Community Steering Committee


Elderly Safety Task Force Activity Report



Presenter: Yoko Funayama, Chair

Background of Creating Task Force 1

Elderly population in Koriyama City's total population




Background of Creating Task Force 2

Increase in people certified as needing long-term care

Fig. 2


Transition of number of people certified as needing long-term care in Koriyama City



Created by: Koriyama City "6th Stage Koriyama City Elderly Welfare Plan and Long-Term Care Insurance Business Project"

Background of Creating Task Force 3


The rate of elderly people is high among deaths caused by injuries and other causes



Koriyama City Health Department "FY2009 to FY2014 Demographic Statistics (Cause of Death Ledger)"



Severity of emergency transports of elderly people is 3-times higher than adults



Composition of Elderly Safety Task Force

Community

organizations, etc.

Federation of Neighborhood Associations
Council of Social Welfare and Child Welfare Officers
Federation of Senior Citizen Clubs
Liaison Council of Community Comprehensive Support Centers
Liaison Council of In-home Caregiving Businesses
Sports Promotion Committee
Liaison Council for Prevention of Elder Abuse
Liaison Council for Prevention of Disabled Person Abuse
Association of People with Dementia and their Families

5 persons

Health Promotion Foundation Social Welfare Corporations Social Welfare Council Health Committee Koriyama Dentist Association

Related Groups

Government

Koriyama Fire Department "FY2010 to FY2014 Emergency Transport Data"

9 persons

2 persons

Fig. 5

Health and Long-life Section

Health Department, Community
Health Section

5

History of Activities

Fig. 6

| Task Force meeting | Details of meeting | | |
|--------------------|--|-------------------------------------|--|
| 1st | Common understanding of Safe Communities | | |
| 2nd | Study of subjective challenges | | |
| 3rd | Study of objective challenges | | |
| 4th and 5th | Identification of priority challenges | | |
| 6th | Study of direction and targets | | |
| 7th to 19th | Study of actual measures | | |
| 20th to 25th | Study of evaluation indicators | Evaluation and analysis of measures | |

;

6

Review of subjective challenges 1



Review of subjective challenges 2

Fig. 8

Main opinions received at workshops

| Injuries from falling are high | Drop in motor abilities and judgment abilities |
|--|--|
| Lack of communication | Driving by elderly people is dangerous |
| Care of people with dementia, and prevention are essential | Drop in cognitive functions is not noticed |

Objective data 1 General injuries are high among elderly people







Fig. 9


8




(Source: Koriyama Fire Department "FY2010-2014 Emergency Transport Data")









(Source: Koriyama City Safe Community "Survey of Citizen Awareness (survey timing: December 2014)")

Objective data 3 Elderly people are often involved in accidents in or around the home






Fig. 12

Objective data 4 The rate of accidental suffocation by elderly people is high

Number of deaths by injury or other external cause of people ages 65 and older, by type (n=472)



(Koriyama City Health Department "Demographic Statistics from FY2009 to FY2013 (Cause of Death Ledger)")

Trends of elderly injuries 5

Ranking of cause of death by external cause by age group

Fig. 14

| Age group | 1st place | | 2nd pla | ice | 3rd plac | е |
|---------------------|-------------|---------------|-------------------------------|----------------------|-----------------------------|-----------------|
| Ages 0-9 | Suffocation | 3 deaths | Traffic accidents Drowning | 2 deaths 2 deaths | Tumbles, falls, smoke, fire | 1 death |
| Ages 10-19 | Suicide | 8 deaths | Traffic accidents | 3 deaths | Smoke, fire, poisoning | 1 death |
| Ages 20-29 | Suicide | 64 deaths | Traffic accidents | 7 deaths | Drowning, suffocation | 2 deaths |
| Ages 30-39 | Suicide | 62 deaths | Traffic accidents | 8 deaths | Smoke, fire | 2 deaths |
| Ages 40-49 | Suicide | 72 deaths | Traffic accidents | 13 deaths | Suffocation | 5 deaths |
| Ages 50-59 | Suicide | 95 deaths | Traffic accidents | 16 deaths | Drowning | 9 deaths |
| Ages 60-69 | Suicide | 68 deaths | Traffic accidents | 17 deaths | Suffocation | 16 deaths |
| Ages 70-79 | Suicide | 43 deaths | Suffocation | 33 deaths | Traffic accidents | 29 deaths |
| Ages 80-89 | Suffocation | 71 deaths | Suicide | 31 deaths | Drowning | 30 deaths |
| Age 90 and older | Suffocation | 37 deaths | Tumbles/falls | 18 deaths | Drowning | 6 deaths |
| Total (All ages) | Suicide | 447 deaths | Suffocation | 174 deaths | Traffic accidents | 115 deaths |

(Koriyama City Health Department "FY2009 to FY2013 Demographic Statistics (Cause of Death Ledger)")

Objective data 6 An increase in elderly people with dementia is anticipated

Situation of elderly people with dementia by nursing care level (current as of end of Sept. 2015)

Fig. 15

14

[Situation of elderly people with dementia by nursing care level]

(Unit: people)

| - | | <i>,</i> | | | • | • | - | \ - | |
|-------------|--------------------------|--------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------|-------------------|
| Dementia | Support Required 1 | Support Required 2 | Nursing Care 1 | Nursing Care 2 | Nursing Care 3 | Nursing Care 4 | Nursing Care 5 | Total | Rate (%) |
| Independent | 1,476 | 1,494 | 1,027 | 663 | 334 | 269 | 109 | 5,372 | 40.5 |
| Mild | 232 | 138 | 1,983 | 1,667 | 779 | 707 | 284 | 5,790 | 5% 43.6 |
| Moderate | 5 | 0 | 23 | 129 | 373 | 607 | 413 | 1,550 | 11.7 |
| Serious | 0 | 1 | 1 | 0 | 16 | 246 | 298 | 562 | 4.2 |
| Total | 1,713 | 1,633 | 3,034 | 2,459 | 1,502 | 1,829 | 1,104 | 13,274 | 100.0 |

*Degree of elderly person with dementia's independence in daily life

Mild: Can communicate but may have trouble finding words

Moderate: Has difficulty communicating will, may have problem behavior or behavioral disorders such as incontinence

Serious: Problem behavior or pronounced mental disorders that hinder daily life


(From Koriyama City Regional Comprehensive Care Promotion Section:

"6th Stage Koriyama City Elderly Welfare Plan and Long-Term Care Insurance Business Project")

Objective data 7 Consultations regarding elder abuse are increasing

Transition of number of consultations regarding elder abuse, etc.

Fig. 16



(From Koriyama City Long-Term Care Insurance Section "FY2010 to 2015 Situation of Comprehensive Support by Center")

16

Organization of challenges

Fig. 17

Challenge 1 There are many falls by elderly people.

Fig. 9

•General injuries lead types of accidents and injuries sustained by elderly people. Many citizens think that injuries from tripping or falling are highest.

Fig. 10 Fig. 11

Challenge 2 There are many suffocation accidents sustained by elderly people.

Fig. 13

•The rate of accidental suffocation leads the types of cause of deaths by elderly people.

Fig. 14

Challenge 3 An increase in elderly people with dementia is anticipated.


- •The rate of people certified as requiring care who have dementia is high.
- •The number of people certified as needing nursing care is increasing each year.

Fig. 15

Challenge 4 There are many cases of abuse against elderly people.

Fig. 16

•The rate of consultations regarding elder abuse is high.



List of main existing programs

| | | p9 | Fig. 19 | |
|---|--------------------------------|--|------------------------------------|--|
| Priority challenge | National government/Prefecture | City | Community | |
| There are many falls by elderly people | Nursing care in | Nursing care insurance policy | | |
| | | Subsidies for housing renovations | Energetic Centenarian Exercises | |
| Suffocation accidents are | Nursing care in | nsurance policy | | |
| high among elderly people | | Lectures | Centenarian Exercises for Chewing | |
| An increase in | Nursing care in | | | |
| elderly people with dementia is anticipated | Seminars | Seminars Elderly People w Mimamori-wa | | |
| There are many | Nursing care in | nsurance policy | Visits by welfare | |
| cases of elder abuse | Seminars | Consultations | officers, etc. | |
| Education Environment Regulations 19 | | | | |

List of programs

Fig. 20

| Priority challenge | Program | | | |
|--|--|--|--|--|
| There are many falls by elderly people | Promotion of care-prevention classes such as Energetic Centenarian Exercises and increasing sessions. Living environment checks Promotion of participation in oral cavity care and oral exercise instruction linked with nursing care prevention classes | | | |
| | Related issues carried out together | | | |
| Suffocation accidents are high among elderly people | 3. Notify elderly people of high rate of accidents from suffocation. Notify at oral care or oral exercise classes. | | | |
| An increase in elderly people with dementia is anticipated | 4. Cooperation with SOS Mimamori-watching Network 5. Promotion of mimamori-watching activities in community | | | |
| There are many cases of elder abuse | Carry out together as mimamori-watching activities in the community are important | | | |

There are many falls by elderly people

Fig. 21

Program 1 Promotion of care-prevention classes

Outline

Improved

Promote care-prevention classes such as Energetic Centenarian Exercises

Promote at meetings and community gatherings attended by task force members

Main activities

Groups to hold the classes were called for in the Gazette Koriyama (Feb. 2016 edition, June 2017 edition)
Leaflets were distributed at board meeting of Health
Department officers active in the community (May 10, 2017)

Improvement

Task Force members promoted the program at various meetings and when visiting homes of elderly people.

There are many falls by elderly people

Fig. 22

Program 1 Promotion of care-prevention classes

Results of activity

No. of venues holding Energetic Centenarian Exercises

FY2015 12



as of Sept. 2017 <u>58</u>

No. of Energetic Centenarian Exercises participants

FY2015 205 people



As of Sept. 2017 1,172人



22

There are many falls by elderly people

Fig. 23

Program 2 Living environment checks



Outline

Leaflets showing hazard spots in the home were created and distributed

Main activities

Prepared on March 2017

- Distributed at neighborhood association board meetings, etc., attended by Task Force members, and other community gatherings
- Leaflet distributed at Party for Seniors (September 2017)
- Distributed and promoted when nursing care experts visit homes of elderly people (From August 2017)

The nursing care expert visits the home one to three months after distributing the leaflet, and checks whether the program has been implemented.


There are many falls by elderly people

Fig. 24

Program 2 Living environment checks

Results of activities

Approx. 5,000 leaflets distributed



24

Suffocation accidents are high among elderly people

Fig. 25

Program 3 Promotion of oral cavity care linked with nursing care prevention classes

Outline

Improved

Oral cavity care is explained and leaflets are distributed during nursing care prevention classes to increase participation in oral exercise classes. (Linked with nursing care prevention classes)

Main activities

Oral exercise classes are promoted together with nursing care prevention classes. (From August 2015)

Improvement

The Task Force members use various opportunities to explain and promote the importance of oral cavity care.

Suffocation accidents are high among elderly people

Fig. 26

Program 3 Promotion of oral cavity care linked with nursing care prevention classes

Results of activities

No. of venues holding Centenarian Exercises for Chewing

FY2015 9



as of Sept. 2017 24

No. of people participating in Centenarian Exercises for Chewing

FY2015 115 people



As of Sept. 2017
385 people



26

An increase in elderly people with dementia is anticipated

Fig. 27

Program 4 Cooperation with Koriyama City Elderly People with Dementia SOS Mimamori-watching Network

認知症高齢者SOS見守りネットワーク

Watching network for SOS from the dementia elderly



An increase in elderly people with dementia is anticipated

Fig. 28

Program 4 Cooperation with Koriyama City Elderly People with Dementia SOS Mimamori-watching Network

Support

Outline

Koriyama City Elderly People with Dementia SOS Mimamori-watching Network is promoted and improved for ensure effective operations.

Main activities

Promotion at meetings attended by Task Force members, such as Orange Cafe, and community gatherings.

Organization of Koriyama City Elderly People with Dementia SOS Mimamoriwatching Network search simulation drill (Nov. 15, 2017)

Improvement

The Task Force noted problems in communicating information, so one of the groups belonging to the Liaison Councils created an original communication method. 28

An increase in elderly people with dementia is anticipated

Fig. 29

Program 4 Cooperation with Koriyama City Elderly People with Dementia SOS Mimamori-watching Network

Results of activities

No. of member groups

November 2015 57 groups



Sept. 2017 **97** groups

No. of registered members

November 2015 <u>0 people</u>



Sept. 2017 **256** people

An increase in elderly people with dementia is anticipated There are many cases of elder abuse

Program 5 Promotion of mimamori-watching activities in the community

New

Outline

Promote the activities of communities that have incorporated leading programs, and encourage mimamori-activities in the community

Main activities

The activities of groups that are conducting original mimamori-watching activities are posted in the Federation of Neighborhood Association newsletter and webpage (August 2017)

Results of activities

No. of newsletters prepared Approx. 9,000 copies

Distributed to members of the community through each neighborhood association

30

Activity indicators and performance indicators (1)

Priority challenge 1 There are many falls by elderly people.

| Program | Activity indicator | Performance indicator | | |
|---|--|---|---|--|
| Program | Activity indicator | Short-term | Mid-/long-term | |
| Promotion of care prevention classes | No. of venues holding Energetic Centenarian Exercises 12→58 | No. of participants 205→1,172 Subjective effect of participants | | |
| Living environment checks | No. of leaflets distributed Approx. 5,000 copies newly distributed | Subjective effect of participants | No. of people transported by ambulance for general injuries | |
| Promotion of oral cavity care linked with care prevention classes | No. of venues holding oral exercise classes 9→24 | No. of participants 115→385 Subjective effect of participants | | |

Activity indicators and performance indicators (2)

Priority challenge 2 There are many suffocation accidents sustained by elderly people.

Fig. 32

| Drogram | Activity indicator | Performance indicator | | |
|---|---|---|--------------------------------|--|
| Program | Activity indicator | Short-term | Mid-/long-term | |
| Promotion of oral cavity care linked with care prevention classes | No. of venues holding oral exercise classes 9→24 | No. of participants 115→385 Subjective effect of participants | No. of deaths from suffocation | |

32

Activity indicators and performance indicators (3)

Priority challenge 3

An increase in elderly people with dementia is anticipated.

Priority challenge 4

There are many cases of abuse against elderly people.

| Dragge | A ativity indicator | Performance indicator | | |
|--|--|---|---|--|
| Program | Activity indicator | Short-term | Mid-/long-term | |
| Cooperation with Elderly People SOS Mimamori- watching Network | No. of members groups and registered members Member groups 57→97 No. of registered members 0→256 | Recognition of Elderly People SOS Mimamori- watching Network | Understanding of dementia No. of | |
| Promotion of mimamori- watching activities in community | No. of promotional leaflets prepared Approx. 9,000 copies newly prepared | No. of mimamori- watching groups | consultations regarding elder abuse | |

Current stage and future direction (1)

Fig. 34

| Priority challenge | Current achievements | Future directions |
|---|--|---|
| Challenge 1 There are many falls by elderly people | Promotion of exercise classesDistribution of living environment check sheet leaflet | Continue current activities Introduce activities incorporating actual details and effect |
| Challenge 2 Suffocation accidents are high among elderly people | Promotion of exercise classesPromotion of oral cavity care | Promote necessity of swallowing Modify exercises so they can be performed at home |

34

Current stage and future direction (2)

Fig. 35

| Priority Current challenge achievements | | Future directions |
|--|---|--|
| Challenge 3 An increase in elderly people with dementia is anticipated | Promotion of "Dementia SOS Mimamori-watching Network", and proposals for effective management | Continue current activities Promote groups with effectively managed programs |
| Challenge 4 There are many cases of elder abuse | Introduction of groups performing mimamori-watching activities in the community | •Find and further promote groups that are active in the community |

Thank you for your guidance.

